

L10	384	313/595.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:25
L11	118	313/596.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:25
L12	50	313/603.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:26
L13	203	313/602.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:26
L14	50	313/603.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:26
L15	89	102/202.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:27
L16	546	102/202.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:30
L17	1	I9 and I10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:30
L18	0	I9 and I11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:30
L19	0	I9 and I12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:31

L20	6	I9 and I13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:31
L21	0	I9 and I14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:31
L22	0	I9 and I15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:31

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	56	spark near gap and (IC or integrate\$1 near circuit) and substrate and (cathode and anode) and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:19
L2	42	l1 and @ad<="20030203"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:17
L3	2394	spark near gap and (IC or integrate\$1 near circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:15
L4	56	l3 and substrate and (cathode and anode) and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:19
L5	56	spark near gap and (IC or integrate\$1 near circuit or ESD) and substrate and (cathode and anode) and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:17
L6	149	spark and (IC or integrate\$1 near circuit or ESD) and substrate and (cathode and anode) and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:17
L7	114	l6 and @ad<="20030203"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:17
L8	846	spark near gap near device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:19
L9	107	l8 and (cathode and anode) and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/02 17:25